

## DECLARATION OF PERFORMANCE

№ 09-18

1. Unique identification code of the product-type:

**Garage door: ROLLING SHUTTER CURTAIN L-110 1.0 mm GALVANIZED**

2. Type, batch or serial number or any other element allowing identification of the construction product as required pursuant to Article 11(4) of Regulation (EO) № 305 / 2011:

**Garage door: ROLLING SHUTTER CURTAIN L-110 1.0 mm GALVANIZED**

3. Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

**Doors, windows, shutters, blinds, gates and related building hardware (1/1) : - Windows (with or without related hardware) (any other).**

4. Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant to Article 11(5) of Regulation (EO) № 305 / 2011:

**PRODUCTION AND SERVICES LTD,1 VERANZEROU STR-ATHENS-GREECE**

5. System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V:

**System 3**

6. In case of the declaration of performance concerning a construction product covered by a harmonised standard:

**Notification body to SOLAR PROJECT Ltd , NB 2145**

Performed determining the type of the product based on test under  
**System 3**

and issued:

**Test Protocol - № 09/14.03.2018**

7. Declared performance

Essential characteristics	Performance	Harmonised technical specification
<b>Resistant to wind load</b>	<b>Class 5</b>	<b>BDS EN 13241-1+A1</b>
<b>Thermal transmittance</b>	<b>1.6</b>	<b>BDS EN 13241-1+A1</b>
<b>Safety in use of power operated door</b>	<b>80 N</b>	<b>BDS EN 13241-1+A1</b>
<b>Mechanical aspects</b>	<b>Passed</b>	<b>BDS EN 13241-1+A1</b>

8. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 7.

This declaration of performance is issued under the sole responsibility of the manufacturer.

Signed for and on behalf of the manufacturer by:

**"Resistance to wind load is valid for doors with size up to 6500 mm width and 5000 mm height"**

**Zachariadis Nikolaos**

Sofia, 14.03.2018

.....

(stamp and signature)